ABACUS MECHANICAL LLC

PO Box 883227 Steamboat Springs, CO 970-846-2806 www.abacusmechanical.com

Planned Maintenance Agreement



Name/Address/City/State/Zip





Location of Equipment





"We service all brands of l	<u>heating and cooling equipment'</u>

Phone home: Phone work: Fax:	Phone: Customer number:						
Equipment location/filter Make	_		Model#		Serial #		
					T		
					_		
					+		
Equipment to be installed:	Qty	Xs per year	Price per	3-year	2-year	1-year	
Furnance/fan coil up to 150,000 BTU:w/1" filter			\$ 110.00	=\$	=\$	=\$	
Condensing unit/Chiller up to 5 tons: Indoor & Outdoor			\$ 110.00	=\$	=\$	=\$	
Boiler up to 500,000 BTU:			\$ 125.00	=\$	=\$	=\$	
Additional forced air units 150K to 1 million BTU:			\$ 150.00	=\$	=\$	=\$	
Condenser/Chiller up to 10 tons:			\$ 175.00	=\$	=\$	=\$	
Media filter 2":			\$ 35.00	=\$	=\$	=\$	
Media filter MERV 11			\$ 85.00	=\$	=\$	=\$	
Media filter MERV 16			\$ 120.00	=\$	=\$	=\$	
Evaporative humidifier under 8 lbs/hour: w/pad			\$ 55.00	=\$	=\$	=\$	
Power humidifier over 8 lbs/hour: w/pad			\$ 65.00	=\$	=\$	=\$	
Steam humidifier (no canister):			\$ 55.00	=\$	=\$	=\$	
Steam humidifier (canister included):			\$ 155.00	=\$	=\$	=\$	
Energy Recovery Ventilator: Media not included			\$ 55.00	=\$	=\$	=\$	
Evaporative cooler-(no breeze airs): w/pads		1	\$ 125.00	=\$	=\$	=\$	
Evaporative cooler-(no breeze airs): pads not included		2	\$ 60.00	=\$	=\$	=\$	
NOTE: Evap Coolers need service 2 x per year							
Pure Air Note: UV lights & catalyst not included (2 year	rs):		\$ 45.00	=\$	=\$	=\$	
Water Heater anode rod check/safety check /purge:			\$ 75.00	=\$	=\$	=\$	
Other			=\$	=\$	=\$	=\$	
			ub-total:	=\$	=\$	=\$	
Credit Card: Visa or Mastercar			enior 5%:	=	=	=	
		1	'otal:			\$	
Check: Card #:							
Check: Cash: Exp. Date:		Contract	Date:	 Date	Thru:		

Technician:	

Date:		

Our customized planned maintanence agreement meets or exceeds the manufacturer's requirements to maintain your equipment.

Benefits:

- Priority Customer
- 10% off labor and material for repairs
- 24-hour emergency service
- Improved efficiency
- Extended equipment life
- Improved safety
- Improved capacity
- Inflation protection
- Transferable agreement

Procedures:

- Clean or replace 1" standard filter
- Check and adjust gas pressure if needed
- Monitor Flu draft
- Lubricate all parts needed
- Inspect and tighten belts if needed
- Check for cracked heat exchanger
- Check for loose electrical connections
- Take temperature deltas to verify performance
- Check safety controls
- Verify operation of user controls
- Inspect and clean condenser coil if needed
- Monitor amp draw on motors
- Wipe down unit to keep it free of dust/debris
- Clean the burners if needed
- Check thermostat anticipator settings
- Clean faucet aerators
- Verify water heater safety in operation
- Verify water heater aquastat setting